

1 **Amendment to the Claims**

2 **In the Claims:**

3 Please amend Claims 1, 16, 18, and 24 as follows:

4 1. (Currently Amended) A method for simulating a real-time rendering of a desired graphical  
5 effect in an image of an object constituting a portion of a displayed scene on a display, in regard to a  
6 single static viewpoint, comprising the steps of:

7 (a) precomputing data defining a behavior of light rays illuminating the object in  
8 regard to the single static viewpoint, based on a plurality of input images, to produce a plurality of  
9 morph maps for the object in which at least one set of pixel-dependent data is associated with each  
10 pixel position on the display;

11 (b) in response to one of a user action and an event that indicates the desired  
12 graphical effect, performing a transformation two-dimensionally using the plurality of morph maps to  
13 produce an output image that simulates the real-time rendering of the desired graphical effect in the  
14 image of the object; and

15 (c) displaying the output image.

16 2. (Original) The method of Claim 1, wherein the step of precomputing comprises the step of  
17 producing data that include a blending factor.

18 3. (Original) The method of Claim 1, wherein the step of precomputing comprises the step of  
19 producing data that include an additive factor that is used to control saturation of the output image.

20 4. (Original) The method of Claim 1, wherein the step of precomputing comprises the step of  
21 tracing rays of light to determine the plurality of morph maps based on a global illumination and a  
22 local illumination at each intersection of the rays of light with a surface.

23 5. (Original) The method of Claim 1, wherein the step of performing the transformation  
24 comprises the steps of:

25 (a) producing a plurality of warped images from the plurality of morph maps; and

26 (b) combining the plurality of warped images over a range, with a cross-dissolve, to  
27 produce successive output images in which the object morphs between an initial state and a final state.

28 ///

29 ///

30 ///

1           6. (Original) The method of Claim 1, wherein the step of performing the transformation  
2 comprises the step of mapping a selected portion of a surface of the object onto a different part of the  
3 object to simulate an effect corresponding to movement of the selected portion of the surface over the  
4 object.

5           7. (Original) The method of Claim 6, wherein only pixels of the object that have been altered  
6 during the transformation to implement the effect are recomputed in the output image.

7           8. (Original) The method of Claim 6, wherein the step of performing the transformation  
8 comprises the steps of:

9               (a) providing a grid of cells that overlies and bounds pixels in the selected portion  
10 of the surface of the object in the output image;

11               (b) for each cell of the grid, associating an arbitrary rectangle having an area that  
12 bounds all samples in an original image affected by the pixels in the cell of the output image; and

13               (c) determining a union of all rectangles that are associated with the cells of the  
14 grid that intersect the area of the arbitrary rectangle, to produce the output image.

15           9. (Original) The method of Claim 8, further comprising the step of using an index to map  
16 between a region in an input image and a corresponding region in the output image, to determine  
17 which portion of one of the input image and the output image is changed if a portion of the other of  
18 the input image and the output image has changed.

19           10. (Original) The method of Claim 1, wherein the transformation to achieve the desired  
20 effect comprises one of the steps of:

21               (a) mapping a texture onto the object in the output image;

22               (b) applying a reflection to the object in the output image; and

23               (c) applying a refraction of the object in the output image.

24           11. (Original) The method of Claim 1, wherein the step of precomputing includes the step of  
25 storing anti-aliasing data for use in producing the output image.

26           12. (Original) The method of Claim 1, wherein the step of precomputing is based on one of a  
27 three-dimensional geometry of the input images and a set of properties of a material in the input  
28 images.

1           13. (Original) The method of Claim 1, wherein the data produced in the step of  
2 precomputing includes a lookup table in which parameters used in producing the output image are  
3 stored.

4           14. (Original) A computer-readable medium having computer-executable instructions for  
5 performing the steps recited in Claim 1.

6           15. (Original) A computer-readable medium having computer-executable instructions for  
7 performing steps (b) and (c) in Claim 1.

8           16. (Currently Amended) A method for simulating rendering of graphical effects in an image  
9 displayed in real time, comprising the steps of:

10               (a) precomputing a plurality of morph maps of a displayed scene in regard to a  
11 single static viewpoint, said plurality of morph maps being blendable and including anti-aliasing  
12 information and data for each of a plurality of pixels in a defined area constitute a portion of the  
13 displayed scene;

14               (b) storing the morph maps for subsequent use in simulating rendering of a  
15 selected effect associated with the defined area;

16               (c) transforming at least one input image two-dimensionally using a blending of  
17 the plurality of morph maps to produce the selected effect in an output image; and

18               (d) displaying the output image, simulating the real-time rendering of the selected  
19 effect in the defined area constituting the portion of the displayed scene in the output image.

20           17. (Original) The method of Claim 16, wherein the selected effect comprises at least one of  
21 the steps of:

22               (a) anti-aliasing to smooth edges in the output image;

23               (b) displaying light refraction in the output image;

24               (c) displaying light reflection in the output image;

25               (d) morphing between an object in the displayed scene and a substantially altered  
26 object in a final output image over a defined range of intermediate images, starting with the input  
27 image; and

28               (e) dynamically warping a selected portion of an object over a different portion of  
29 an object in the output image.  
30

1           18. (Currently Amended) The method of Claim 16, wherein for each pixel in the defined  
2 area, the data comprising each of the plurality of morph maps includes at least a subset of the  
3 following parameters:

4           (a)     an index that identifies a pixel data set from among a plurality of pixel data  
5 sets in the morph map;

6           (b)     an image identifier that, as a function of its value, indicates one of:

7                 (i)     the input image from among a plurality of input images, in which the  
8 defined area appears; and

9                 (ii)    a constant color that is to be applied to the pixel;

10          (c)     coordinates of the pixel in the input image;

11          (d)     the constant color that is to be applied to the pixel, dependent upon the value of  
12 the image identifier;

13          (e)     a multiplicative ~~coefficient~~ component applied to modulate an appearance of  
14 the pixel;

15          (f)     an additive factor used to shift the appearance of the pixel with a color  
16 saturation; and

17          (g)     a blending factor applicable to the additive factor.

18           19. (Original) The method of Claim 16, wherein the step of precomputing comprises the step  
19 of computing the plurality of morph maps with a light simulating algorithm that determines a local  
20 illumination and a global illumination at each point where a light ray intersects a surface in the input  
21 image.

22           20. (Original) The method of Claim 16, wherein the effect comprises the rendering of a  
23 textured patch on a surface of an object as the patch is dragged over the surface by a user, further  
24 comprising the step of indexing pixels on the input image to corresponding pixels in the output image  
25 in which the patch is illustrated as it is dragged.

26           21. (Original) The method of Claim 16, wherein the effect comprises the rendering of an  
27 object simulating a refraction that occurs as light reflected from the object passes through a  
28 non-homogeneous medium that is at least partially transparent.

29           22. (Original) The method of Claim 16, wherein only pixels in the input image that have  
30 changed are transformed to produce the output image.

1           23. (Original) The method of Claim 22, further comprising the step of bi-directionally  
2 mapping between each of a plurality of pixels in a selected region of the input image and a  
3 corresponding pixel in a corresponding region of the output image, to define the pixels that have  
4 changed in the input image when producing the output image.

5           24. (Currently Amended) A system for simulating a real-time rendering of a desired  
6 graphical effect in an image of an object constituting a portion of a displayed scene on a display in  
7 regard to a specific viewpoint that remains static, comprising:

8                   (a) a display on which images are displayable;  
9                   (b) a memory in which a plurality of machine instruction are stored; and  
10                  (c) a processor coupled to the display and to the memory, said processor executing  
11 the plurality of machine instructions to carry out a plurality of functions, including:

12                           (i) precomputing data defining a behavior of light rays illuminating the  
13 object based on a plurality of input images, producing a plurality of morph maps in which at least one  
14 set of pixel-dependent data is associated with each pixel position, said data including anti-aliasing  
15 information, said plurality of morph maps being stored in the memory;

16                           (ii) in response to one of a user action and an event that indicates the  
17 desired graphical effect, performing a transformation two-dimensionally using the plurality of morph  
18 maps to produce an output image that simulates the real-time rendering of the desired graphical effect  
19 in the image of the object; and

20                           (iii) displaying the output image on the display.

21           25. (Original) The system of Claim 24, wherein the data produced by precomputing include  
22 a blending factor.

23           26. (Original) The system of Claim 24, wherein the data produced by precomputing include  
24 an additive factor that is used to control a color saturation in the output image.

25           27. (Original) The system of Claim 24, wherein when precomputing, the processor traces  
26 rays of light to determine the plurality of morph maps based on a global illumination and a local  
27 illumination at each intersection of the rays of light with a surface in at least one of the input images.

28           28. (Original) The system of Claim 24, wherein when performing the transformation, the  
29 processor:

30                   (a) produces a plurality of warped images from the plurality of morph maps; and

1 (b) combines the plurality of warped images with a cross-dissolve over a range to  
2 produce successive output images in which the object morphs between an initial state and a final  
3 state.

4 29. (Original) The system of Claim 24, wherein when performing the transformation, the  
5 processor maps a selected portion of a surface of the object onto a different part of the object to  
6 simulate an effect corresponding to movement of the selected portion of the surface over the object.

7 30. (Original) The system of Claim 29, wherein only pixels of the object that have been  
8 altered are recomputed by the processor in the output image.

9 31. (Original) The system of Claim 29, wherein when performing the transformation, the  
10 processor:

11 (a) provides a grid of cells that overlies and bounds pixels in the selected portion  
12 of the surface of the object in the output image;

13 (b) for each cell of the grid, associates an arbitrary rectangle having an area that  
14 bounds all samples in an original image affected by the pixels in the cell of the output image; and

15 (c) determines a union of all rectangles that are associated with the cells of the  
16 grid that intersect the area of the arbitrary rectangle, to produce the output image.

17 32. (Original) The system of Claim 31, wherein execution of the machine instructions causes  
18 the processor to produce an index to map between a region in an input image and a corresponding  
19 region in the output image, said index being used by the processor to determine which portion of one  
20 of the input image and the output image should be changed if a portion of the other of the input image  
21 and output image has changed.

22 33. (Original) The system of Claim 24, wherein the transformation to achieve the desired  
23 effect comprises one of:

24 (a) mapping a texture onto the object in the output image;

25 (b) applying a reflection to the object in the output image; and

26 (c) applying a refraction of the object in the output image.

27 34. (Original) The system of Claim 24, wherein when precomputing, the processor stores  
28 anti-aliasing data in the memory for use in producing the output image.

29 ///

30 ///

1           35. (Original) The system of Claim 24, wherein the precomputing employs at least one of a  
2 three-dimensional geometry of the input images, and a set of properties of a material in the input  
3 images.

4           36. (Original) The system of Claim 24, wherein the data produced when precomputing  
5 includes a lookup table in which parameters used in producing the output image are stored in the  
6 memory.